

Effects of Antidepressant Drug Classes on Dementia Risk: A 23-year Cohort Study using Akivia Health Secondary Mental Health Data

P. Kontari¹, M. Taquet^{2,3}, A. Todorovic¹, S. Turner¹, J. Harrison⁴, W. Petterson-Yeo^{2,3}, B. Fell¹

¹ Akivia Health, Oxford, United Kingdom, ² University of Oxford, Department of Psychiatry, Oxford, United Kingdom, ³ Oxford Health NHS Foundation Trust, Oxford, United Kingdom, ⁴ Newcastle University, Biomedical Research Building Campus for Ageing and Vitality, Newcastle, United Kingdom

Corresponding author: panagiota.kontari@akiviahealth.com

REFERENCES

Chan, J. Y. C., Yiu, K. K. L., Kwok, T. C. Y., Wong, S. Y. S., & Tsoi, K. K. F. (2019).

Depression and Antidepressants as Potential Risk Factors in Dementia: A Systematic Review and Meta-analysis of 18 Longitudinal Studies. *Journal of the American Medical Directors Association*, 20(3), 279-286.e1.

<https://doi.org/10.1016/j.jamda.2018.12.004>

Heath, L., Gray, S. L., Boudreau, D. M., Thummel, K., Edwards, K. L., Fullerton, S. M., Crane, P. K., & Larson, E. B. (2018). Cumulative Antidepressant Use and Risk of Dementia in a Prospective Cohort Study. *Journal of the American Geriatrics Society*, 66(10), 1948–1955. <https://doi.org/10.1111/jgs.15508>

John, A., Saunders, R., Desai, R., Bell, G., Fearn, C., Buckman, J. E. J., Brown, B., Nurock, S., Michael, S., Ware, P., Marchant, N. L., Aguirre, E., Rio, M., Cooper, C., Pilling, S., Richards, M., & Stott, J. (2023). Associations between psychological therapy outcomes for depression and incidence of dementia. *Psychological Medicine*, 53(11), 4869–4879. <https://doi.org/10.1017/S0033291722002537>

Su, J.-A., Chang, C.-C., Yang, Y.-H., Chen, K.-J., Li, Y.-P., & Lin, C.-Y. (2020). Risk of incident dementia in late-life depression treated with antidepressants: A nationwide

population cohort study. *Journal of Psychopharmacology*, 34(10), 1134–1142.

<https://doi.org/10.1177/0269881120944152>

Todorovic, A., Craig, P., Pillinger, S., Kontari, P., Gibbons, S., Bryden, L., Franarin, T., Uysal, C., Roque, G., & Fell, B. (2024). Akrivia Health Database—deep patient characterisation using a secondary mental healthcare dataset in England and Wales: Cohort profile. *BMJ Open*, 14(10), e088166. <https://doi.org/10.1136/bmjopen-2024-088166>

Wang, G. H.-M., Chen, W.-H., Chang, S.-H., Zhang, T., Shao, H., Guo, J., & Lo-Ciganic, W.-H. (2023). Association between first-line antidepressant use and risk of dementia in older adults: A retrospective cohort study. *BMC Geriatrics*, 23(1), 825.

<https://doi.org/10.1186/s12877-023-04475-z>

Wang, Y.-C., Tai, P.-A., Poly, T. N., Islam, M. M., Yang, H.-C., Wu, C.-C., & Li, Y.-C. (Jack). (2018). Increased Risk of Dementia in Patients with Antidepressants: A Meta-Analysis of Observational Studies. *Behavioural Neurology*, 2018(1), 5315098.

<https://doi.org/10.1155/2018/5315098>

Yang, L., Deng, Y.-T., Leng, Y., Ou, Y.-N., Li, Y.-Z., Chen, S.-D., He, X.-Y., Wu, B.-S., Huang, S.-Y., Zhang, Y.-R., Kuo, K., Feng, W., Dong, Q., Feng, J.-F., Suckling, J., Smith, A. D., Li, F., Cheng, W., & Yu, J.-T. (2023). Depression, Depression Treatments, and Risk of Incident Dementia: A Prospective Cohort Study of 354,313 Participants. *Biological Psychiatry*, 93(9), 802–809.

<https://doi.org/10.1016/j.biopsych.2022.08.026>