

Supplementary Table S1. Frequency of Studies by Disease Area and PROM

Disease	Questionnaire
End-Stage Renal Disease ESRD on Dialysis [3]	Kidney Disease Quality of Life-36 (KDQOL-36) [3]
Severe Mental Illness (SMI) [1]	Health of the Nation Outcomes Scale (HoNOS) [1] Positive and Negative Symptom Scale (PANSS) [1]
Knee Osteoarthritis [7]	Lequesne Functional Index [1] Oxford Knee Score (OKS) [4] Western Ontario and McMaster Universities Arthritis Index (WOMAC) [1] Knee Injury and Osteoarthritis Outcome Score (KOOS) [1]
Low Back Pain [3]	Oswestry Disability Index (ODI) [1] Roland Morris Questionnaire [2]
Cancer [14]	European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 (EORTC QLQ-C30) [11] EORTC QLQ-BR23 [1] Functional Assessment of Cancer Therapy - General (FACT-G) [4]
Rheumatoid arthrisis [9]	Health Assessment Questionnaire Disability Index (HAQ-DI) [9] Disease Activity Score (DAS) [1]
Headache [1]	Headache Impact Test (HIT-6) [1] Chronic Headache Quality of Life Questionnaire (CH-QLQ) [1]
Colorectal Cancer (CRC) [3]	European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 (EORTC QLQ-C30) [3] Colorectal Cancer-Specific Quality of Life Questionnaire (QLQ-CR29) [1]
Paroxysmal Nocturnal Hemoglobinuria (PNH) [1]	European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 (EORTC QLQ-C30) [1]
Coronary Heart Disease (CHD) [4]	Seattle Angina Questionnaire (SAQ) [2] MacNew Heart Disease Quality of Life Questionnaire [2]
Heart Failure [3]	Minnesota living with heart failure questionnaire (MLHFQ) [1] Kansas City Cardiomyopathy Questionnaire (KCCQ) [2]
Chronic Obstructive Pulmonary Disease [4]	Chronic Obstructive Pulmonary Disease Assessment Test (CAT) [3] St. George's Respiratory Questionnaire (SGRQ) [1]
Overactive Bladder [1]	Overactive Bladder Questionnaire 5-Dimensional Health Classification System (OAB-5D) [1]
Multiple Myeloma [1]	European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 (EORTC QLQ-C30) [1] Quality of Life Questionnaire for Patients with Multiple Myeloma (EORTC QLQ-MY20) [1]
Non-Small Cell Lung Cancer (NSCLC) [4]	European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 (EORTC QLQ-C30) [3] Functional Assessment of Cancer Therapy - General (FACT-G) [1]

Disease	Questionnaire
Nonalcoholic Steatohepatitis [1]	Chronic Liver Disease Questionnaire for Nonalcoholic Steatohepatitis (CLDQ-NASH) [1]
Breast Cancer [7]	Functional Assessment of Cancer Therapy - Breast (FACT-B) [4] European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 (EORTC QLQ-C30) [3]
	Worst Itch Numeric Rating Scale (WI-NRS) [1]
Chronic Kidney Disease-associated Pruritus [2]	5-D itch scale [1] Edmonton Symptom Assessment System-Revised [1]
Parkinson [5]	Unified Parkinson's Disease Rating Scale (UPDRS) [1] Parkinson's Disease Questionnaire (PDQ-8) [4]
Head and Neck Cancer (HNC) [2]	European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 (EORTC QLQ-C30) [2]
Hip Osteoarthritis [2]	Oxford Hip Score (OHS) [2]
General population [1]	Pruritus-Visual Analog Scale (VAS) [1]
Knee Pain [1]	Western Ontario and McMaster Universities Arthritis Index (WOMAC) [1]
Prostate Cancer (PC) [3]	expanded prostate cancer index composite (EPIC) (2) European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 (EORTC QLQ-C30) [1]
Skin Diseases [1]	Dermatology Life Quality Index (DLQI) [1]
Opioid-Induced Constipation [1]	Patient Assessment of Constipation Quality of Life Questionnaire (PAC-QOL) [1]
Asthma [3]	Sydney Asthma Quality of Life Questionnaire (AQLQ-S) [3]
Irritable Bowel Syndrome [1]	Irritable Bowel Syndrome Quality of Life Instrument (IBS-QOL) [1]
Subclinical Hypothyroidism during pregnancy [1]	Thyroid-specific patient reported outcome - 39-item (ThyPRO-39) [1]
Schizophrenia [1]	Schizophrenia Quality of Life Scale (SQLS) [1]
Atopic Dermatitis [1]	Dermatology Life Quality Index (DLQI) [1]
Lung Cancer [1]	Functional Assessment of Cancer Therapy - Lung (FACT-L) [1]
Hip or Knee Osteoarthritis [3]	Western Ontario and McMaster Universities Arthritis Index (WOMAC) [3] Patient Health Questionnaire-9 (PHQ-9) [1]
	General Anxiety Disorder-7 (GAD-7) [1]
	Edinburgh Postnatal Depression Scale (EPDS) [1]
Depression [6]	Depression Anxiety Stress Scale DASS-21 [1] Kessler Psychological Distress Scale K-10 [1]
	Beck Depression Inventory (BDI) [1]
	Hospital Anxiety and Depression Scale (HADS) [1]
Psoriatic Arthritis [3]	Health Assessment Questionnaire Disability Index (HAQ-DI) (3)

Disease	Questionnaire
Nonalcoholic Steatohepatitis [1]	Chronic Liver Disease Questionnaire for Nonalcoholic Steatohepatitis (CLDQ-NASH) [1]
	Psoriasis Disability Index (PDI) [2]
Lymphoma [1]	European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 (EORTC QLQ-C30) [1]
HIV [1]	World Health Organization's Quality of Life Instrument for HIV - abbreviated version (WHOQOL-HIV-Bref) [1]
Alzaimer [1]	Quality of Life—Alzheimer's Disease scale (QoL-AD) [1]
Coronary artery disease [1]	Seattle Angina Questionnaire in coronary artery (SAQ) [1]
Obesity [1]	Moorehaad Ardelt II questionnaire [1]
Papillary Thyroid Carcinoma [1]	European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 (EORTC QLQ-C30) [1]
	Quality of life - Head and Neck Cancer Module (EORTC QLQ-H&N35) [1]
Cataract [3]	Catquest [3]
Macular degeneration [3]	Macular Disease Quality of Life (MacDQol) [1]
	National Eye Institute Visual Functioning Questionnaire (NEI VFQ-25) [2]
Bowel Disease [3]	Irritable Bowel Syndrome Quality of Life Instrument (IBDQ) [2]
	Short Inflammatory Bowel Disease Questionnaire [1]
Crhon's Disease [1]	Crohn's Disease Activity Index (CDAI) [1]
Multiple Sclerosis [1]	Multiple Sclerosis Impact Scale MSIS-29 [1]
Chronic Migraine [1]	Migraine-Specific Quality of Life (MSQ) [1]
	Headache Impact Test (HIT-6) [1]
Episodic Migraine [1]	Migraine-Specific Quality of Life (MSQ) [1]
	Headache Impact Test (HIT-6) [1]
Transiet Ischemia Attack [1]	Modified Rankin Scale (mRS) [1]
Idiopathic Overactiver Bladder [1]	Incontinence Quality of life Questionnaire (I-QOL) [1]
Neurogenic Overactiver Bladder [1]	Incontinence Quality of life Questionnaire (I-QOL) [1]
Cushing's Syndrome [1]	CushingQOL [1]
Ankylosing Spondylitis [1]	BASFI (Bath Ankylosing Spondylitis Functional Index) [1]
	BASDAI (Bath Ankylosing Spondylitis Disease Activity Index) [1]
Acromegaly [2]	Acromegaly Quality of Life Questionnaire (AcroQol) [2]

Frequency counts of included studies categorized by disease area and patient-reported outcome measure (PROM). The number of studies is shown in square brackets. A single study may include multiple disease areas and therefore appear in more than one row. Similarly, within a given study, each disease may have been assessed using more than one PROM.

Bibliography (all studies included in full-text review)

ACC, Beck, Kieffer JM, Retèl VP, et al. "Mapping the EORTC QLQ-C30 and QLQ-H&N35 to the EQ-5D for Head and Neck Cancer: Can Disease-Specific Utilities Be Obtained?" In *PloS One*, vol. 14. no. 12. United States, 2019.

Adams, R., C. Walsh, D. Veale, B. Bresnihan, O. FitzGerald, and M. Barry. "Understanding the Relationship between the EQ-5D, SF-6D, HAQ and Disease Activity in Inflammatory Arthritis." In *PharmacoEconomics*, vol. 28. no. 6. 2010.

Aghdaee, Mona, Bonny Parkinson, Kompal Sinha, Yuanyuan Gu, Rajan Sharma, and Emma Olin. "An Examination of Machine Learning to Map Non-Preference Based Patient Reported Outcome Measures to Health State Utility Values." In *Health Economics*, vol. 31. no. 8. ["Macquarie U Centre for the Health Economy, Macquarie U", "Macquarie U"], 2022.

AJ, Hatswell, and Vegter S. "Measuring Quality of Life in Opioid-Induced Constipation: Mapping EQ-5D-3 L and PAC-QOL." In *Health Economics Review*, vol. 6. no. 1. Germany, 2016.

Ali, F. M., R. Kay, A. Y. Finlay, et al. "Mapping of the DLQI Scores to EQ-5D Utility Values Using Ordinal Logistic Regression." In *Quality of Life Research*, vol. 26. no. 11. 2017.

Ayala, A., M. J. Forjaz, Y. Ramallo-Fariña, J. Martín-Fernández, L. García-Pérez, and A. Bilbao. "Response Mapping Methods to Estimate the EQ-5D-5L From the Western Ontario McMaster Universities Osteoarthritis in Patients With Hip or Knee Osteoarthritis." In *Value in Health*, vol. 24. no. 6. 2021.

Badia, X., M. Roset, E. Valassi, H. Franz, A. Forsythe, and S. M. Webb. "Mapping CushingQOL Scores to EQ-5D Utility Values Using Data from the European Registry on Cushing's Syndrome (ERCUSYN)." In *Quality of Life Research*, vol. 22. no. 10. 2013.

Bilbao, A., J. Martín-Fernández, L. García-Pérez, et al. "Mapping WOMAC Onto the EQ-5D-5L Utility Index in Patients With Hip or Knee Osteoarthritis." In *Value in Health*, vol. 23. no. 3. 2020.

Borchani, H., C. Bielza, P. Martínez-Martin, and P. Larrañaga. "Predicting the EQ-5D from the Parkinson's Disease Questionnaire PDQ-8 Using Multi-Dimensional Bayesian Network Classifiers." In *Biomedical Engineering - Applications, Basis and Communications*, vol. 26. no. 1. 2014. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-84895892850&doi=10.4015%2fS101623721450015X&partnerID=40&md5=d60609425b70c3f7e113030ddabe6917>

Brazier, J., J. Connell, D. Papaioannou, et al. "A Systematic Review, Psychometric Analysis and Qualitative Assessment of Generic Preference-Based Measures of Health in Mental Health Populations and the Estimation of Mapping Functions from Widely Used Specific Measures." In *Health Technology Assessment*, vol. 18. no. 34. 2014.

Bujkiewicz, S., J. R. Thompson, A. J. Sutton, et al. "Use of Bayesian Multivariate Meta-Analysis to Estimate the HAQ for Mapping onto the EQ-5D Questionnaire in Rheumatoid Arthritis." In *Value in Health*, vol. 17. no. 1. 2014.

Buxton, M. J., L. A. Lacey, B. G. Feagan, T. Niecko, D. W. Miller, and R. J. Townsend. "Mapping from Disease-Specific Measures to Utility: An Analysis of the Relationships between the Inflammatory Bowel Disease Questionnaire and Crohn's Disease Activity Index in Crohn's Disease and Measures of Utility." In *Value in Health*, vol. 10. no. 3. 2007.

C, Blome, Beikert FC, Rustenbach SJ, and Augustin M. "Mapping DLQI on EQ-5D in Psoriasis: Transformation of Skin-Specific Health-Related Quality of Life into Utilities." In *Archives of Dermatological Research*, vol. 305. no. 3. Germany, 2013.

C, Li, Dou L, Fu Q, and Li S. "Mapping the Seattle Angina Questionnaire to EQ-5D-5L in Patients with

Coronary Heart Disease.” In *Health and Quality of Life Outcomes*, vol. 21. no. 1. England, 2023.

C, Wan, Wang Q, Xu Z, Huang Y, and Xi X. “Mapping Health Assessment Questionnaire Disability Index onto EQ-5D-5L in China.” In *Frontiers in Public Health*, vol. 11. Switzerland, 2023.

Camacho, E. M., G. E. Shields, C. A. Chew-Graham, et al. “Generating EQ-5D-3L Health Utility Scores from the Edinburgh Postnatal Depression Scale: A Perinatal Mapping Study.” In *European Journal of Health Economics*, vol. 25. no. 2. 2024.

Castro, R., R. B. De Boni, H. Perazzo, B. Grinsztejn, V. G. Veloso, and M. Ribeiro-Alves. “Development of Algorithms to Estimate EQ-5D and Derive Health Utilities from WHOQOL-HIV Bref: A Mapping Study.” In *Quality of Life Research*, vol. 29. no. 9. 2020.

CH, Yu, Chang SM, Hsu CH, et al. “Mapping Algorithms for Predicting EuroQol-5D-3L Utilities from the Assessment Test of Chronic Obstructive Pulmonary Disease.” In *Scientific Reports*, vol. 12. no. 1. England, 2022.

Chen, G., M. A. Garcia-Gordillo, D. Collado-Mateo, et al. “Converting Parkinson-Specific Scores into Health State Utilities to Assess Cost-Utility Analysis.” In *Patient*, vol. 11. no. 6. 2018.

Chen, G., J. Mckie, M. A. Khan, and J. R. Richardson. “Deriving Health Utilities from the MacNew Heart Disease Quality of Life Questionnaire.” In *European Journal of Cardiovascular Nursing*, vol. 14. no. 5. 2015.

Chen, Z., L. Yang, and Y. Zhang. “Mapping KDQOL-36 Onto EQ-5D-5L and SF-6Dv2 in Patients Undergoing Dialysis in China.” In *Value Health Reg. Issues*, vol. 48. Y. Zhang, Population Development Studies Center, Renmin University of China, Beijing, China, 2025.
<https://www.embase.com/search/results?subaction=viewrecord&id=L2037769326&from=exportU2 - L2037769326>

Cheung, Y. B., L. C. S. Tan, P. N. Lau, W. L. Au, and N. Luo. “Mapping the Eight-Item Parkinson’s Disease Questionnaire (PDQ-8) to the EQ-5D Utility Index.” In *Quality of Life Research*, vol. 17. no. 9. 2008.

Cheung, Y.-B., J. Thumboo, F. Gao, et al. “Mapping the English and Chinese Versions of the Functional Assessment of Cancer Therapy-General to the EQ-5D Utility Index.” In *Value in Health*, vol. 12. no. 2. 2009.

Clement, N. D., I. Afzal, C. J. H. Peacock, et al. “Mapping Analysis to Predict the Associated EuroQol Five-Dimension Three-Level Utility Values from the Oxford Knee Score.” In *Bone and Joint Open*, vol. 3. no. 7. 2022.

Crott, R., and A. Briggs. “Mapping the QLQ-C30 Quality of Life Cancer Questionnaire to EQ-5D Patient Preferences.” In *European Journal of Health Economics*, vol. 11. no. 4. 2010.

Dakin, H., A. Gray, and D. Murray. “Mapping Analyses to Estimate EQ-5D Utilities and Responses Based on Oxford Knee Score.” In *Quality of Life Research*, vol. 22. no. 3. 2013.

Dardenne, N., A.-F. Donneau, and O. Bruyère. “Mapping the Lequesne Functional Index Into the EQ-5D-5L Utility Index in Patients With Knee Osteoarthritis.” In *Value Health*, vol. 27. no. 10. O. Bruyère, Research Unit in Public Health, Epidemiology and Health Economics, University of Liège, Liège, Belgium, 2024.

Davison, N. J., A. J. Thompson, A. J. Turner, et al. “Generating EQ-5D-3L Utility Scores from the Dermatology Life Quality Index: A Mapping Study in Patients with Psoriasis.” In *Value in Health*, vol. 21. no. 8. 2018.

Diels, J., P. Hamberg, D. Ford, P. W. Price, M. Spencer, and R. N. Dass. "Mapping FACT-P to EQ-5D in a Large Cross-Sectional Study of Metastatic Castration-Resistant Prostate Cancer Patients." In *Quality of Life Research*, vol. 24. no. 3. 2015.

Dixon, P., H. Dakin, and S. Wordsworth. "Generic and Disease-Specific Estimates of Quality of Life in Macular Degeneration: Mapping the MacDQoL onto the EQ-5D-3L." In *Quality of Life Research*, vol. 25. no. 4. 2016.

Dixon, P., W. Hollingworth, and J. Sparrow. "Mapping to Quality of Life and Capability Measures in Cataract Surgery Patients: From Cat-PROM5 to EQ-5D-3L, EQ-5D-5L, and ICECAP-O Using Mixture Modelling." In *MDM Policy and Practice*, vol. 5. no. 1. 2020.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85106482161&doi=10.1177%2f2381468320915447&partnerID=40&md5=1a61f4ba997043fe7e6ea9daed4a656d>.

ER, Marriott, van Hazel G, Gibbs P, and Hatwell AJ. "Mapping EORTC-QLQ-C30 to EQ-5D-3L in Patients with Colorectal Cancer." In *Journal of Medical Economics*, vol. 20. no. 2. England, 2017.

F, Wolfe, Michaud K, and Wallenstein G. "Scale Characteristics and Mapping Accuracy of the US EQ-5D, UK EQ-5D, and SF-6D in Patients with Rheumatoid Arthritis." In *The Journal of Rheumatology*, vol. 37. no. 8. Canada, 2010. <https://pubmed.ncbi.nlm.nih.gov/20551106/>.

F, Xie, Pullenayegum EM, Li SC, Hopkins R, Thumboo J, and Lo NN. "Use of a Disease-Specific Instrument in Economic Evaluations: Mapping WOMAC onto the EQ-5D Utility Index." In *Value in Health : The Journal of the International Society for Pharmacoeconomics and Outcomes Research*, vol. 13. no. 8. United States, 2010.

Franklin, M., and M. Hernández Alava. "Enabling QALY Estimation in Mental Health Trials and Care Settings: Mapping from the PHQ-9 and GAD-7 to the ReQoL-UI or EQ-5D-5L Using Mixture Models." In *Quality of Life Research*, vol. 32. no. 10. 2023.

Gamst-Klaussen, T., A. N. Lamu, G. Chen, and J. A. Olsen. "Assessment of Outcome Measures for Cost-Utility Analysis in Depression: Mapping Depression Scales onto the EQ-5D-5L." In *BJPsych Open*, vol. 4. no. 4. 2018.

Gillard, P. J., B. Devine, S. F. Varon, L. Liu, and S. D. Sullivan. "Mapping from Disease-Specific Measures to Health-State Utility Values in Individuals with Migraine." In *Value in Health*, vol. 15. no. 3. 2012.

GR, Barton, Sach TH, Jenkinson C, Avery AJ, Doherty M, and Muir KR. "Do Estimates of Cost-Utility Based on the EQ-5D Differ from Those Based on the Mapping of Utility Scores?" In *Health and Quality of Life Outcomes*, vol. 6. England, 2008. <https://pubmed.ncbi.nlm.nih.gov/18625052/>.

Gray, L. A., M. Hernández Alava, and A. J. Wailoo. "Development of Methods for the Mapping of Utilities Using Mixture Models: Mapping the AQLQ-S to the EQ-5D-5L and the HUI3 in Patients with Asthma." In *Value in Health*, vol. 21. no. 6. 2018.

Gray, L. A., M. Hernandez Alava, and A. J. Wailoo. "Mapping the EORTC QLQ-C30 to EQ-5D-3L in Patients with Breast Cancer." In *BMC Cancer*, vol. 21. no. 1. 2021.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85119408733&doi=10.1186%2fs12885-021-08964-5&partnerID=40&md5=03af78d4e2f484f1d3d8c1dbd4a77afb>.

Gray, L. A., A. J. Wailoo, and M. Hernandez Alava. "Mapping the FACT-B Instrument to EQ-5D-3L in Patients with Breast Cancer Using Adjusted Limited Dependent Variable Mixture Models versus Response Mapping." In *Value in Health*, vol. 21. no. 12. 2018.

Grochtdreis, T., C. Brettschneider, K. Schierz, J. Hoyer, and H.-H. König. "Mapping the Beck Depression Inventory to the EQ-5D-3L in Patients with Depressive Disorders." In *Journal of Mental Health Policy and Economics*, vol. 19. no. 2. 2016.

H, Ameri, Yousefi M, Yaseri M, Nahvijou A, Arab M, and Akbari Sari A. "Mapping EORTC-QLQ-C30 and QLQ-CR29 onto EQ-5D-5L in Colorectal Cancer Patients." In *Journal of Gastrointestinal Cancer*, vol. 51. no. 1. United States, 2020.

H, Fawaz, Yassine O, Hammad A, Bedwani R, and Abu-Sheasha G. "Mapping of Disease-Specific Oxford Knee Score onto EQ-5D-5L Utility Index in Knee Osteoarthritis." In *Journal of Orthopaedic Surgery and Research*, vol. 18. no. 1. England, 2023.

Hagiwara, Y., T. Shiroiwa, N. Taira, et al. "Gradient Boosted Tree Approaches for Mapping European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 Onto 5-Level Version of EQ-5D Index for Patients With Cancer." In *Value Health*, vol. 26. no. 2. Y. Hagiwara, Department of Biostatistics, Division of Health Sciences and Nursing, Graduate School of Medicine, The University of Tokyo, 7-3-1, Hongo, Bunkyo-ku, Tokyo, Japan, 2023.

Hartman, J. D., and B. M. Craig. "Comparing and Transforming PROMIS Utility Values to the EQ-5D." In *Quality of Life Research*, vol. 27. no. 3. 2018.

He, Z., W. Liang, W. Xu, et al. "Mapping the FACT-G to EQ-5D-3L Utility Index in Cancer with the Chinese Values Set." In *Expert Review of Pharmacoeconomics and Outcomes Research*, vol. 22. no. 7. 2022.

Herédi, E., F. Rencz, O. Balogh, et al. "Exploring the Relationship between EQ-5D, DLQI and PASI, and Mapping EQ-5D Utilities: A Cross-Sectional Study in Psoriasis from Hungary." In *European Journal of Health Economics*, vol. 15. 2014.

Hernández Alava, M., A. Wailoo, F. Wolfe, and K. Michaud. "A Comparison of Direct and Indirect Methods for the Estimation of Health Utilities from Clinical Outcomes." In *Medical Decision Making*, vol. 34. no. 7. 2014.

Hernández Alava, M., A. Wailoo, F. Wolfe, and K. Michaud. "The Relationship between EQ-5D, HAQ and Pain in Patients with Rheumatoid Arthritis." In *Rheumatology (United Kingdom)*, vol. 52. no. 5. 2013.

HL, Kim, Kim D, Jang EJ, et al. "Mapping Health Assessment Questionnaire Disability Index (HAQ-DI) Score, Pain Visual Analog Scale (VAS), and Disease Activity Score in 28 Joints (DAS28) onto the EuroQol-5D (EQ-5D) Utility Score with the KORONA Registry Data." In *Rheumatology International*, vol. 36. no. 4. Germany, 2016. <https://pubmed.ncbi.nlm.nih.gov/26849891/>.

HM, Worboys, Gray L, Burton J, Alava MH, Greenwood S, and Cooper N. "Mapping the KDQoL-36 onto the EQ-5D-5L Utility Index in Patients Undergoing Haemodialysis." In *Value in Health : The Journal of the International Society for Pharmacoeconomics and Outcomes Research*. United States, 2025. <https://pubmed.ncbi.nlm.nih.gov/40246068/>.

Hoyle, C. K., M. Tabberer, and J. Brooks. "Mapping the COPD Assessment Test onto EQ-5D." In *Value in Health*, vol. 19. no. 4. 2016.

Huang, D., D. Zeng, Y. Tang, L. Jiang, and Q. Yang. "Mapping the EORTC QLQ-C30 and QLQ H&N35 to the EQ-5D-5L and SF-6D for Papillary Thyroid Carcinoma." In *Quality of Life Research*, vol. 33. no. 2. 2024.

Hunger, M., J. Eriksson, S. A. Regnier, K. Mori, J. A. Spertus, and J. Cristino. "Mapping the Kansas City Cardiomyopathy Questionnaire (KCCQ) Onto EQ-5D-3L in Heart Failure Patients: Results for the Japanese and UK Value Sets." In *MDM Policy and Practice*, vol. 5. no. 2. 2020. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85097266284&doi=10.1177%2f2381468320971606&partnerID=40&md5=0375853c29987bc6d189e2e6a5aab511>.

I, Khan, and Morris S. "A Non-Linear Beta-Binomial Regression Model for Mapping EORTC QLQ- C30 to the EQ-5D-3L in Lung Cancer Patients: A Comparison with Existing Approaches." In *Health and Quality of Life Outcomes*, vol. 12. England, 2014. <https://pubmed.ncbi.nlm.nih.gov/25388439/>.

I, Khan, Morris S, Pashayan N, Matata B, Bashir Z, and Maguirre J. "Comparing the Mapping between EQ-5D-5L, EQ-5D-3L and the EORTC-QLQ-C30 in Non-Small Cell Lung Cancer Patients." In *Health and Quality of Life Outcomes*, vol. 14. England, 2016. <https://pubmed.ncbi.nlm.nih.gov/27072351/>.

I, Proskorovsky, Lewis P, Williams CD, et al. "Mapping EORTC QLQ-C30 and QLQ-MY20 to EQ-5D in Patients with Multiple Myeloma." In *Health and Quality of Life Outcomes*, vol. 12. England, 2014.

J, Dams, Klotsche J, Bornschein B, et al. "Mapping the EQ-5D Index by UPDRS and PDQ-8 in Patients with Parkinson's Disease." In *Health and Quality of Life Outcomes*, vol. 11. England, 2013.

J, Fishman, Higgins V, Piercy J, and Pike J. "Cross-Walk of the Chronic Liver Disease Questionnaire for Nonalcoholic Steatohepatitis (CLDQ-NASH) and the EuroQol EQ-5D-5L in Patients with NASH." In *Health and Quality of Life Outcomes*, vol. 21. no. 1. England, 2023.

J, Lim, Choi SE, Bae E, Kang D, Lim EA, and Shin GS. "Mapping Analysis to Estimate EQ-5D Utility Values Using the COPD Assessment Test in Korea." In *Health and Quality of Life Outcomes*, vol. 17. no. 1. England, 2019.

J, Martín-Fernández, Morey-Montalvo M, Tomás-García N, et al. "Mapping Analysis to Predict EQ-5D-5 L Utility Values Based on the Oxford Hip Score (OHS) and Oxford Knee Score (OKS) Questionnaires in the Spanish Population Suffering from Lower Limb Osteoarthritis." In *Health and Quality of Life Outcomes*, vol. 18. no. 1. England, 2020.

Jiang, L., H. Zhou, Q. Yang, X. Luo, and D. Huang. "Development of Algorithms to Estimate the EQ-5D-5L from the FACT-L in Patients with Lung Cancer: A Mapping Study." In *Quality of Life Research*, vol. 33. no. 3. 2024.

K, Khan, Mistry H, Matharu M, et al. "Mapping between Headache Specific and Generic Preference-Based Health-Related Quality of Life Measures." In *BMC Medical Research Methodology*, vol. 22. no. 1. England, 2022.

KA, Goldsmith, Dyer MT, Buxton MJ, and Sharples LD. "Mapping of the EQ-5D Index from Clinical Outcome Measures and Demographic Variables in Patients with Coronary Heart Disease." In *Health and Quality of Life Outcomes*, vol. 8. England, 2010.

KA, Khan, Petrou S, Rivero-Arias O, Walters SJ, and Boyle SE. "Mapping EQ-5D Utility Scores from the PedsQL™ Generic Core Scales." In *PharmacoEconomics*, vol. 32. no. 7. New Zealand, 2014.

Kaambwa, B., G. Chen, J. Ratcliffe, A. Iezzi, A. Maxwell, and J. Richardson. "Mapping Between the Sydney Asthma Quality of Life Questionnaire (AQLQ-S) and Five Multi-Attribute Utility Instruments (MAUIs)." In *PharmacoEconomics*, vol. 35. no. 1. 2017.

Kay, S., and A. Ferreira. "Mapping the 25-Item National Eye Institute Visual Functioning Questionnaire (NEI VFQ-25) to EQ-5D Utility Scores." In *Ophthalmic Epidemiology*, vol. 21. no. 2. 2014.

Kay, S., K. Tolley, D. Colayco, K. Khalaf, P. Anderson, and D. Globe. "Mapping EQ-5D Utility Scores from the Incontinence Quality of Life Questionnaire among Patients with Neurogenic and Idiopathic Overactive Bladder." In *Value in Health*, vol. 16. no. 2. 2013.

Kent, S., A. Gray, I. Schlackow, C. Jenkinson, and E. McIntosh. "Mapping from the Parkinsons Disease Questionnaire PDQ-39 to the Generic EuroQol EQ-5D-3L." In *Medical Decision Making*, vol. 35. no. 7. 2015.

Khairnar, R., L. DeMora, H. M. Sandler, et al. "Methodological Comparison of Mapping the Expanded Prostate Cancer Index Composite to EuroQoL-5D-3L Using Cross-Sectional and Longitudinal Data: Secondary Analysis of NRG/RTOG 0415." In *JCO Clinical Cancer Informatics*, vol. 6. 2022.

Khan, K. A., J. Madan, S. Petrou, and S. E. Lamb. "Mapping between the Roland Morris Questionnaire and Generic Preference-Based Measures." In *Value in Health*, vol. 17. no. 6. 2014.

Kharroubi, S. A., R. Edlin, D. Meads, C. Browne, J. Brown, and C. McCabe. "Use of Bayesian Markov Chain Monte Carlo Methods to Estimate EQ-5D Utility Scores from EORTC QLQ Data in Myeloma for Use in Cost-Effectiveness Analysis." In *Medical Decision Making*, vol. 35. no. 3. 2015.

Kiadaliri, A., M. H. Alava, E. M. Roos, and M. Englund. "Mapping EQ-5D-3L from the Knee Injury and Osteoarthritis Outcome Score (KOOS)." In *Quality of Life Research*, vol. 29. no. 1. 2020.

Kim, E.-J., S. K. Ko, and H.-Y. Kang. "Mapping the Cancer-Specific EORTC QLQ-C30 and EORTC QLQ-BR23 to the Generic EQ-5D in Metastatic Breast Cancer Patients." In *Quality of Life Research*, vol. 21. no. 7. 2012.

Kleijburg, A., B. Wijnen, W. den Hollander, S. Evers, H. Kroon, and J. Lokkerbol. "Mapping of the Health of the Nation Outcomes Scale (HoNOS) and Positive and Negative Symptom Scale (PANSS) to the EQ-5D-3L in Psychosis Patients Using the PHAMOUS Study." In *Expert Rev. Pharmacoecon. Outcomes Res.*, vol. 25. no. 3. A. Kleijburg, Department of Health Services Research, CAPHRI Care and Public Health Research Institute, Maastricht University, Da Costakade 45, P.O. Box 725, Utrecht, Netherlands, 2025.

Kontodimopoulos, N., V. H. Aletras, D. Palioras, and D. Niakas. "Mapping the Cancer-Specific EORTC QLQ-C30 to the Preference-Based EQ-5D, SF-6D, and 15D Instruments." In *Value in Health*, vol. 12. no. 8. 2009.

Kontodimopoulos, N., P. Bozios, J. Yfantopoulos, and D. Niakas. "Longitudinal Predictive Ability of Mapping Models: Examining Post-Intervention EQ-5D Utilities Derived from Baseline MHAQ Data in Rheumatoid Arthritis Patients." In *European Journal of Health Economics*, vol. 14. no. 2. 2013.

Lamu, A. N. "Does Linear Equating Improve Prediction in Mapping? Crosswalking MacNew onto EQ-5D-5L Value Sets." In *European Journal of Health Economics*, vol. 21. no. 6. 2020.

Lee, C. F., R. Ng, N. Luo, and Y. B. Cheung. "Development of Conversion Functions Mapping the FACT-B Total Score to the EQ-5D-5L Utility Value by Three Linking Methods and Comparison with the Ordinary Least Square Method." In *Applied Health Economics and Health Policy*, vol. 16. no. 5. 2018.

Lee, M.-Y., S.-K. Park, S.-Y. Park, et al. "Cost-Effectiveness of Tofacitinib in the Treatment of Moderate to Severe Rheumatoid Arthritis in South Korea." In *Clinical Therapeutics*, vol. 37. no. 8. 2015.

Li, J., S. Du, C. Chen, and Z. Ye. "Mapping ODI onto EQ-5D-5L in Chinese Low Back Pain Patients." In *medRxiv*. Z. Ye, School of Public Administration, Hainan University, No 58, Renmin Avenue, Hainan Province, Haikou, China, 2024.
<https://www.embase.com/search/results?subaction=viewrecord&id=L2030784165&from=export>
U2 - L2030784165 U4 - 2024-03-26.

Liu, T., S. Li, M. Wang, Q. Sun, and G. Chen. "Mapping the Chinese Version of the EORTC QLQ-BR53 Onto the EQ-5D-5L and SF-6D Utility Scores." In *Patient*, vol. 13. no. 5. 2020.

Longworth, L., Y. Yang, T. Young, et al. "Use of Generic and Condition-Specific Measures of Health-Related Quality of Life in NICE Decision-Making: A Systematic Review, Statistical Modelling and Survey." In *Health Technology Assessment*, vol. 18. no. 9. 2014.

Lu, G., J. E. Brazier, and A. E. Ades. "Mapping from Disease-Specific to Generic Health-Related Quality-of-Life Scales: A Common Factor Model." In *Value in Health*, vol. 16. no. 1. 2013.

M, Hernandez Alava, Sasso A, Hnynn Si PE, et al. "Relationship Between Standardized Measures of Chronic Kidney Disease-Associated Pruritus Intensity and Health-Related Quality of Life Measured with the EQ-5D Questionnaire: A Mapping Study." In *Acta Dermato-Venereologica*, vol. 103. Sweden, 2023.

M, Parker, Haycox A, and Graves J. "Estimating the Relationship between Preference-Based Generic Utility Instruments and Disease-Specific Quality-of-Life Measures in Severe Chronic Constipation: Challenges in Practice." In *PharmacoEconomics*, vol. 29. no. 8. New Zealand, 2011.

MA, Ruiz, Gutiérrez LL, Monroy M, and Rejas J. "Mapping of the OAB-SF Questionnaire onto EQ-5D in Spanish Patients with Overactive Bladder." In *Clinical Drug Investigation*, vol. 36. no. 4. New Zealand, 2016.

McKenzie, L., and M. Van Der Pol. "Mapping the EORTC QLQ C-30 onto the EQ-5D Instrument: The Potential to Estimate QALYs without Generic Preference Data." In *Value in Health*, vol. 12. no. 1. 2009.

MD, Franken, de Hond A, Degeling K, et al. "Evaluation of the Performance of Algorithms Mapping EORTC QLQ-C30 onto the EQ-5D Index in a Metastatic Colorectal Cancer Cost-Effectiveness Model." In *Health and Quality of Life Outcomes*, vol. 18. no. 1. England, 2020. <https://pubmed.ncbi.nlm.nih.gov/32690011/>.

Meregaglia, M., L. Borsoi, J. Cairns, and R. Tarricone. "Mapping Health-Related Quality of Life Scores from FACT-G, FAACT, and FACIT-F onto Preference-Based EQ-5D-5L Utilities in Non-Small Cell Lung Cancer Cachexia." In *European Journal of Health Economics*, vol. 20. no. 2. 2019.

Meunier, A., A. Soare, H. Chevrou-Severac, K.-J. Myren, T. Murata, and L. Longworth. "Indirect and Direct Mapping of the Cancer-Specific EORTC QLQ-C30 onto EQ-5D-5L Utility Scores." In *Applied Health Economics and Health Policy*, vol. 20. no. 1. 2022.

Mlcoch, T., J. Tuzil, L. Sedova, et al. "Mapping Quality of Life (EQ-5D) from DAPsA, Clinical DAPsA and HAQ in Psoriatic Arthritis." In *Patient*, vol. 11. no. 3. 2018.

Mukuria, C., M. Franklin, and S. Hinde. "Mapping Functions for the PHQ-9 and GAD-7 to Generate EQ-5D-3L for Economic Evaluation." In *European Journal of Health Economics*, vol. 26. no. 1. 2025.

Neilson, Aileen R., Gareth T. Jones, Gary J. Macfarlane, Ejaz MI Pathan, and Paul McNamee. "Generating EQ-5D-5L Health Utility Scores from BASDAI and BASFI: A Mapping Study in Patients with Axial Spondyloarthritis Using Longitudinal UK Registry Data." In *European Journal of Health Economics*, vol. 23. no. 8. ["U of Edinburgh", "U of Aberdeen", "Freeman Hospital, Newcastle upon Tyne Hospitals NHS Foundation Trust"], 2022.

Noel, C. W., R. F. Stephens, J. Su, et al. "Mapping the EORTC QLQ-C30 and QLQ-H&N35, onto EQ-5D-5L and HUI-3 Indices in Patients with Head and Neck Cancer." In *Head and Neck*, vol. 42. no. 9. 2020.

NR, Thompson, Lapin BR, and Katzan IL. "Mapping PROMIS Global Health Items to EuroQol (EQ-5D) Utility Scores Using Linear and Equipercentile Equating." In *PharmacoEconomics*, vol. 35. no. 11. New Zealand, 2017.

P, Teckle, McTaggart-Cowan H, Van der Hoek K, et al. "Mapping the FACT-G Cancer-Specific Quality of Life Instrument to the EQ-5D and SF-6D." In *Health and Quality of Life Outcomes*, vol. 11. England, 2013.

P, Wojciechowski, Wdowiak M, Hakimi Z, et al. "Mapping the EORTC QLQ-C30 onto the EQ-5D-5L Index for Patients with Paroxysmal Nocturnal Hemoglobinuria in France." In *Journal of Comparative Effectiveness Research*, vol. 12. no. 5. England, 2023.

Patton, T., H. Hu, L. Luan, K. Yang, and S.-C. Li. "Mapping between HAQ-DI and EQ-5D-5L in a Chinese Patient Population." In *Quality of Life Research*, vol. 27. no. 11. 2018.

Payakachat, N., K. H. Summers, A. M. Pleil, et al. "Predicting EQ-5D Utility Scores from the 25-Item National Eye Institute Vision Function Questionnaire (NEI-VFQ 25) in Patients with Age-Related Macular Degeneration." In *Quality of Life Research*, vol. 18. no. 7. 2009.

Perwitasari, D. A., F. D. Purba, S. F. Candradewi, et al. "Mapping EORTC-QLQ-C30 onto EQ-5D-5L Index in Indonesian Cancer Patients." In *Asian Pacific Journal of Cancer Prevention*, vol. 24. no. 4. 2023.

Pinedo-Villanueva, R. A., D. Turner, A. Judge, J. P. Raftery, and N. K. Arden. "Mapping the Oxford Hip Score onto the EQ-5D Utility Index." In *Quality of Life Research*, vol. 22. no. 3. 2013.

Q, Yang, Yu X, and Zhang W. "Health Variations among Breast-Cancer Patients from Different Disease States: Evidence from China." In *BMC Health Services Research*, vol. 20. no. 1. England, 2020.

Q, Yang, Yu XX, Zhang W, and Li H. "Mapping Function from FACT-B to EQ-5D-5 L Using Multiple Modelling Approaches: Data from Breast Cancer Patients in China." In *Health and Quality of Life Outcomes*, vol. 17. no. 1. England, 2019.

R, Crott. "Direct Mapping of the QLQ-C30 to EQ-5D Preferences: A Comparison of Regression Methods." In *PharmacoEconomics - Open*, vol. 2. no. 2. Switzerland, 2018.

R, Khairnar, Pugh SL, Sandler HM, et al. "Mapping Expanded Prostate Cancer Index Composite to EQ5D Utilities to Inform Economic Evaluations in Prostate Cancer: Secondary Analysis of NRG/RTOG 0415." In *PloS One*, vol. 16. no. 4. United States, 2021.

Rivero-Arias, O., M. Ouellet, A. Gray, J. Wolstenholme, P. M. Rothwell, and R. Luengo-Fernandez. "Mapping the Modified Rankin Scale (mRS) Measurement into the Generic EuroQol (EQ-5D) Health Outcome." In *Medical Decision Making*, vol. 30. no. 3. 2010.

Rombach, I., M. Iftikhar, G. S. Jhuti, et al. "Obtaining EQ-5D-5L Utilities from the Disease Specific Quality of Life Alzheimer's Disease Scale: Development and Results from a Mapping Study." In *Quality of Life Research*, vol. 30. no. 3. 2021.

Rowen, Donna, John Brazier, Aki Tsuchiya, and Monica Hernandez Alava. "Valuing States from Multiple Measures on the Same Visual Analogue Scale: A Feasibility Study." In *Health Economics*, vol. 21. no. 6. U Sheffield, 2012.

Rundell, S. D., B. W. Bresnahan, P. J. Heagerty, et al. "Mapping a Patient-Reported Functional Outcome Measure to a Utility Measure for Comparative Effectiveness and Economic Evaluations in Older Adults with Low Back Pain." In *Medical Decision Making*, vol. 34. no. 7. 2014.

S, Kularatna, Senanayake S, Chen G, and Parsonage W. "Mapping the Minnesota Living with Heart Failure Questionnaire (MLHFQ) to EQ-5D-5L in Patients with Heart Failure." In *Health and Quality of Life Outcomes*, vol. 18. no. 1. England, 2020.

Sauerland, S., S. Weiner, K. Dolezalova, et al. "Mapping Utility Scores from a Disease-Specific Quality-of-Life Measure in Bariatric Surgery Patients." In *Value in Health*, vol. 12. no. 2. 2009.

SC, Nair, Welsing PM, Marijnissen AK, et al. "Does Disease Activity Add to Functional Disability in Estimation of Utility for Rheumatoid Arthritis Patients on Biologic Treatment?" In *Rheumatology (Oxford, England)*, vol. 55. no. 1. England, 2016.

Seow, L. S. E., J. H. Lau, E. Abdin, S. K. Verma, K. B. Tan, and M. Subramaniam. "Mapping the Schizophrenia Quality of Life Scale to EQ-5D, HUI3 and SF-6D Utility Scores in Patients with Schizophrenia." In *Expert Review of Pharmacoeconomics and Outcomes Research*, vol. 23. no. 7. 2023.

SH, Kim, Jo MW, Kim HJ, and Ahn JH. "Mapping EORTC QLQ-C30 onto EQ-5D for the Assessment of Cancer Patients." In *Health and Quality of Life Outcomes*, vol. 10. England, 2012.

Shafie, A. A., I. K. Chhabra, J. H. Y. Wong, and N. S. Mohammed. "Mapping PedsQL™ Generic Core Scales to EQ-5D-3L Utility Scores in Transfusion-Dependent Thalassemia Patients." In *European Journal of Health Economics*, vol. 22. no. 5. 2021.

Shah, R., M. S. Salek, A. Y. Finlay, et al. "Mapping of Family Reported Outcome Measure (FROM-16) Scores to EQ-5D: Algorithm to Calculate Utility Values." In *Qual. Life Res.*, vol. 33. no. 4. R. Shah, Division of Infection and Immunity, School of Medicine, Cardiff University, Cardiff, United Kingdom, 2024.

Starkie, H. J., A. H. Briggs, M. G. Chambers, and P. Jones. "Predicting EQ-5D Values Using the SGRQ." In *Value in Health*, vol. 14. no. 2. 2011.

Steiner, I. M., B. Bokemeyer, and T. Stargardt. "Mapping from SIBDQ to EQ-5D-5L for Patients with Inflammatory Bowel Disease." In *European Journal of Health Economics*, vol. 25. no. 3. 2024.

Sturkenboom, R., D. Keszthelyi, L. Brandts, et al. "The Estimation of a Preference-Based Single Index for the IBS-QoL by Mapping to the EQ-5D-5L in Patients with Irritable Bowel Syndrome." In *Quality of Life Research*, vol. 31. no. 4. 2022.

Su, J., T. Liu, S. Li, Y. Zhao, and Y. Kuang. "A Mapping Study in Mainland China: Predicting EQ-5D-5L Utility Scores from the Psoriasis Disability Index." In *Journal of Medical Economics*, vol. 23. no. 7. 2020.

SY, Park, Park EJ, Suh HS, Ha D, and Lee EK. "Development of a Transformation Model to Derive General Population-Based Utility: Mapping the Pruritus-Visual Analog Scale (VAS) to the EQ-5D Utility." In *Journal of Evaluation in Clinical Practice*, vol. 23. no. 4. England, 2017.

Thomas, M., P. G. Jones, D. J. Cohen, et al. "Predicting the EQ-5D Utilities from the Kansas City Cardiomyopathy Questionnaire in Patients with Heart Failure." In *European Heart Journal - Quality of Care and Clinical Outcomes*, vol. 7. no. 4. 2021.

Tuzil, J., B. F. Pilnackova, T. Watt, et al. "The Impact of Subclinical Hypothyroidism on the Quality of Life During Pregnancy: Mapping 5-Level Version of EQ-5D and ThyPRO-39." In *Value in Health*, vol. 26. no. 7. 2023.

Versteegh, M. M., A. Leunis, J. J. Luime, M. Boggild, C. A. Uyl-De Groot, and E. A. Stolk. "Mapping QLQ-C30, HAQ, and MSIS-29 on EQ-5D." In *Medical Decision Making*, vol. 32. no. 4. 2012.

Vilsbøll, A. W., N. Kragh, J. Hahn-Pedersen, and C. E. Jensen. "Mapping Dermatology Life Quality Index (DLQI) Scores to EQ-5D Utility Scores Using Data of Patients with Atopic Dermatitis from the National Health and Wellness Study." In *Quality of Life Research*, vol. 29. no. 9. 2020.

Wailoo, A., M. Hernandez Alava, and A. Escobar Martinez. "Modelling the Relationship between the WOMAC Osteoarthritis Index and EQ-5D." In *Health and Quality of Life Outcomes*, vol. 12. no. 1. 2014.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84897479515&doi=10.1186%2f1477-7525-12-37&partnerID=40&md5=8402df15fc5783c5ccfada3f391841d1>.

Wang, Kailu, Xiaopeng Guo, Siyue Yu, Lu Gao, Zihao Wang, and Huijuan Zhu. "Mapping of the

Acromegaly Quality of Life Questionnaire to ED-5D-5L Index Score among Patients with Acromegaly.” In *European Journal of Health Economics*, vol. 22. no. 9. [“Chinese University of Hong Kong”, “Peking Union Medical College”], 2021.

Webb, E. J. D. “An Item-Response Mapping from General Health Questionnaire Responses to EQ-5D-3L Using a General Population Sample from England.” In *Applied Health Economics and Health Policy*, vol. 21. no. 2. 2023.

Wen, J., X. Jin, F. Al Sayah, et al. “Mapping the Edmonton Symptom Assessment System-Revised: Renal to the EQ-5D-5L in Patients with Chronic Kidney Disease.” In *Quality of Life Research*, vol. 31. no. 2. 2022.

Wijeysundera, H. C., G. Tomlinson, C. M. Norris, W. A. Ghali, D. T. Ko, and M. D. Krahn. “Predicting EQ-5D Utility Scores from the Seattle Angina Questionnaire in Coronary Artery Disease: A Mapping Algorithm Using a Bayesian Framework.” In *Medical Decision Making*, vol. 31. no. 3. 2011.

Woodcock, F., B. Doble, S. B. Fox, et al. “Mapping the EORTC-QLQ-C30 to the EQ-5D-3L: An Assessment of Existing and Newly Developed Algorithms.” In *Medical Decision Making*, vol. 38. no. 8. 2018.

Wu, E. Q., P. Mulani, M. H. Farrell, and D. Sleep. “Mapping FACT-P and EORTC QLQ-C30 to Patient Health Status Measured by EQ-5D in Metastatic Hormone-Refractory Prostate Cancer Patients.” In *Value in Health*, vol. 10. no. 5. 2007.

X, Badia, Trainer P, Biermasz NR, et al. “Mapping AcroQoL Scores to EQ-5D to Obtain Utility Values for Patients with Acromegaly.” In *Journal of Medical Economics*, vol. 21. no. 4. England, 2018.

Xu, R. H., E. L. Y. Wong, J. Jin, Y. Dou, and D. Dong. “Mapping of the EORTC QLQ-C30 to EQ-5D-5L Index in Patients with Lymphomas.” In *European Journal of Health Economics*, vol. 21. no. 9. 2020.

Y, Hagiwara, Shiroiwa T, Taira N, et al. “Mapping EORTC QLQ-C30 and FACT-G onto EQ-5D-5L Index for Patients with Cancer.” In *Health and Quality of Life Outcomes*, vol. 18. no. 1. England, 2020.

Yang, F., C. K. H. Wong, N. Luo, J. Piercy, R. Moon, and J. Jackson. “Mapping the Kidney Disease Quality of Life 36-Item Short Form Survey (KDQOL-36) to the EQ-5D-3L and the EQ-5D-5L in Patients Undergoing Dialysis.” In *European Journal of Health Economics*, vol. 20. no. 8. 2019.

YB, Cheung, Luo N, Ng R, and Lee CF. “Mapping the Functional Assessment of Cancer Therapy-Breast (FACT-B) to the 5-Level EuroQoL Group’s 5-Dimension Questionnaire (EQ-5D-5L) Utility Index in a Multi-Ethnic Asian Population.” In *Health and Quality of Life Outcomes*, vol. 12. England, 2014.

Young, M. K., S.-K. Ng, G. Mellick, and P. A. Scuffham. “Mapping of the PDQ-39 to EQ-5D Scores in Patients with Parkinson’s Disease.” In *Quality of Life Research*, vol. 22. no. 5. 2013.

Young, T. A., C. Mukuria, D. Rowen, J. E. Brazier, and L. Longworth. “Mapping Functions in Health-Related Quality of Life.” In *Medical Decision Making*, vol. 35. no. 7. 2015.

Yousefi, M., Y. B. Sheikhrobat, S. Najafi, et al. “Mapping Catquest Scores onto EQ-5D Utility Values in Patients with Cataract Disease.” In *Iranian Red Crescent Medical Journal*, vol. 18. no. 3. 2016.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84962040504&doi=10.5812%2fircmj.21928&partnerID=40&md5=0cd4d57fe92540c2107d5d168641eda9>

Yousefi, M., Y. B. Sheikhrobat, S. Najafi, et al. “Mapping Catquest Scores onto EQ-5D Utility Values in Patients with Cataract Disease.” In *Iranian Red Crescent Medical Journal*, vol. 19. no. 5. 2017.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85027398274&doi=10.5812%2fircmj.21928>

&partnerID=40&md5=700cedcbe2e7f89ea0be3abc75c10394.