

# The Burden of Long COVID on Quality of Life and Daily Functioning (PCR55)

## References

- Admon, A. J., et al. (2023), 'Assessment of Symptom, Disability, and Financial Trajectories in Patients Hospitalized for COVID-19 at 6 Months', *JAMA Netw Open*, 6 (2), e2255795.
- Ahmad, I., et al. (2023), 'High prevalence of persistent symptoms and reduced health-related quality of life 6 months after COVID-19', *Front Public Health*, 11, 1104267.
- Carlile, O., et al. (2024), 'Impact of long COVID on health-related quality-of-life: an OpenSAFELY population cohort study using patient-reported outcome measures (OpenPROMPT)', *Lancet Reg Health Eur*, 40, 100908.
- Combret, Y., et al. (2022), 'Remote Assessment of Quality of Life and Functional Exercise Capacity in a Cohort of COVID-19 Patients One Year after Hospitalization (TELECOVID)', *J Clin Med*, 11 (4), 905.
- Comelli, A., et al. (2022), 'Patient-Reported Symptoms and Sequelae 12 Months After COVID-19 in Hospitalized Adults: A Multicenter Long-Term Follow-Up Study', *Front Med (Lausanne)*, 9, 834354.
- Deana, C., et al. (2023), 'Quality of Life in COVID-Related ARDS Patients One Year after Intensive Care Discharge (Odissea Study): A Multicenter Observational Study', *J Clin Med*, 12 (3), 1058.
- del Corral, T., et al. (2022), 'Longitudinal study of changes observed in quality of life, psychological state cognition and pulmonary and functional capacity after COVID-19 infection: A six- to seven-month prospective cohort', *J Clin Nurs*, n/a (n/a).
- d'Ettorre, G., et al. (2022), 'Health-related quality of life in survivors of severe COVID-19 infection', *Pharmacol Rep*, 74 (6), 1286-95.
- Di Fusco, M., et al. (2023), 'Impact of COVID-19 and effects of booster vaccination with BNT162b2 on six-month long COVID symptoms, quality of life, work productivity and activity impairment during Omicron', *J Patient Rep Outcomes*, 7 (1), 77.
- Di Fusco, M., et al. (2023), 'Impact of COVID-19 Infection on Health-Related Quality of Life, Work Productivity and Activity Impairment by Symptom-Based Long COVID Status and Age in the US', *Healthcare (Basel)*, 11 (20), 2790.
- Evans, R. A., et al. (2021), 'Physical, cognitive, and mental health impacts of COVID-19 after hospitalisation (PHOSP-COVID): a UK multicentre, prospective cohort study', *Lancet Respir Med*, 9 (11), 1275-87.
- Gamberini, L., et al. (2021), 'Health-related quality of life profiles, trajectories, persistent symptoms and pulmonary function one year after ICU discharge in invasively ventilated COVID-19 patients, a prospective follow-up study', *Respir Med*, 189, 106665.

## References

- Gautam, N., et al. (2022), 'Medium-Term Outcomes in Severely to Critically Ill Patients With Severe Acute Respiratory Syndrome Coronavirus 2 Infection', *Clin Infect Dis*, 74 (2), 301-08.
- Han, J. H., et al. (2022), 'Associations between persistent symptoms after mild COVID-19 and long-term health status, quality of life, and psychological distress', *Influenza Other Respir Viruses*, 16 (4), 680-89.
- Havervall, S., et al. (2021), 'Symptoms and Functional Impairment Assessed 8 Months After Mild COVID-19 Among Health Care Workers', *JAMA*, 325 (19), 2015-16.
- Heesakkers, H., et al. (2022), 'Clinical Outcomes Among Patients With 1-Year Survival Following Intensive Care Unit Treatment for COVID-19', *JAMA*, 327 (6), 559-65.
- Huang, L., et al. (2022), 'Health outcomes in people 2 years after surviving hospitalisation with COVID-19: a longitudinal cohort study', *Lancet Respir Med*, 10 (9), 863-76.
- Ito, F., et al. (2024), 'Cluster analysis of long COVID in Japan and association of its trajectory of symptoms and quality of life', *BMJ Open Respir Res*, 11 (1).
- Kamata, K., et al. (2023), 'Post-COVID health-related quality of life and somatic symptoms: A national survey in Japan', *Am J Med Sci*, 366 (2), 114-23.
- Kwon, J., et al. (2023), 'Impact of Long COVID on productivity and informal caregiving', *Eur J Health Econ*.
- Lam, I. C. H., et al. (2023), 'Long-term post-acute sequelae of COVID-19 infection: a retrospective, multi-database cohort study in Hong Kong and the UK', *EClinicalMedicine*, 60, 102000.
- Lemhöfer, C., et al. (2023), 'Quality of life and ability to work of patients with Post-COVID syndrome in relation to the number of existing symptoms and the duration since infection up to 12 months: a cross-sectional study', *Qual Life Res*, 32 (7), 1991-2002.
- Líška, D., et al. (2022), 'What is the quality of life in patients with long COVID compared to a healthy control group?', *Front Public Health*, 10, 975992.
- Meys, R., et al. (2020), 'Generic and Respiratory-Specific Quality of Life in Non-Hospitalized Patients with COVID-19', *J Clin Med*, 9 (12), 3993.
- Murata, F., et al. (2024), 'Associations between COVID-19 vaccination and incident psychiatric disorders after breakthrough SARS-CoV-2 infection: The VENUS Study', *Brain Behav Immun*, 117, 521-28.
- Navarro, A. O., Villegas, H. R., and Luis, B. A. L. (2022), '1404. Factors Associated to Decrease in Quality of Life After Mild-Moderate COVID-19: A Cross-Sectional Study', *Open Forum Infect Dis*, 15 (9), (Suppl 20):ofac492.1233.
- Qu, G., et al. (2021), 'Health-related quality of life of COVID-19 patients after discharge: A multicenter follow-up study', *J Clin Nurs*, 30 (11-12), 1742-50.

## References

- Rosa, R. G., et al. (2023), 'Association between acute disease severity and one-year quality of life among post-hospitalisation COVID-19 patients: Coalition VII prospective cohort study', *Intensive Care Med*, 49 (2), 166-77.
- Sandmann, F. G., et al. (2022), 'Long-Term Health-Related Quality of Life in Non-Hospitalized Coronavirus Disease 2019 (COVID-19) Cases With Confirmed Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Infection in England: Longitudinal Analysis and Cross-Sectional Comparison With Controls', *Clin Infect Dis*, 75 (1), e962-e73.
- Sigfrid, L., et al. (2021), 'Long Covid in adults discharged from UK hospitals after Covid-19: A prospective, multicentre cohort study using the ISARIC WHO Clinical Characterisation Protocol', *Lancet Reg Health Eur*, 8, 100186.
- Tabacof, L., et al. (2022), 'Post-acute COVID-19 Syndrome Negatively Impacts Physical Function, Cognitive Function, Health-Related Quality of Life, and Participation', *Am J Phys Med Rehabil*, 101 (1), 48-52.
- Tanguay, P., et al. (2023), 'Trajectories of health-related quality of life and their predictors in adult COVID-19 survivors: A longitudinal analysis of the Biobanque Québécoise de la COVID-19 (BQC-19)', *Qual Life Res*, 32 (9), 2707-17.
- van der Sar-van der Brugge, S., et al. (2021), 'Pulmonary function and health-related quality of life after COVID-19 pneumonia', *Respir Med*, 176, 106272.
- Verveen, A., et al. (2022), 'Severe Fatigue in the First Year Following SARS-CoV-2 Infection: A Prospective Cohort Study', *Open Forum Infect Dis*, 9 (5), ofac127.
- Vlake, J. H., et al. (2021), 'Psychologic Distress and Quality of Life After ICU Treatment for Coronavirus Disease 2019: A Multicenter, Observational Cohort Study', *Crit Care Explor*, 3 (8), e0497.
- Vlake, J. H., et al. (2021), 'Psychological distress and health-related quality of life in patients after hospitalization during the COVID-19 pandemic: A single-center, observational study', *PLoS One*, 16 (8), e0255774.
- Zhao, S., et al. (2024), 'Long COVID is associated with severe cognitive slowing: a multicentre cross-sectional study', *EClinicalMedicine*, 68, 102434.