

Table S1. Patient socio-demographics and clinical characteristics

|                                                      | US<br>(n=102)     | Canada<br>(n=47)  |
|------------------------------------------------------|-------------------|-------------------|
| Male (%)                                             | 43%               | 62%               |
| Age (years)<br>Mean (SD)<br>Range                    | 68 (4)<br>60–84   | 73 (5)<br>64–83   |
| Retired (%)                                          | 77%               | 81%               |
| Living with someone (%)                              | 88%               | 79%               |
| Time from GA diagnosis (years)<br>Mean (SD)<br>Range | 6.3 (5.2)<br>1–22 | 5.3 (3.6)<br>1–15 |
| Bilateral GA (%)                                     | 43%               | 47%               |
| Wet AMD in fellow eye (n)                            | 5                 | 6                 |


AMD=age-related macular degeneration; GA=geographic atrophy; n=number of patients; SD=standard deviation.

Table S2. Caregiver socio-demographics

|                                                            | US<br>(n=102)       | Canada<br>(n=46)      |
|------------------------------------------------------------|---------------------|-----------------------|
| Male (%)                                                   | 47%                 | 61%                   |
| Age (years)<br>Mean (SD)<br>Range                          | 46 (15)<br>19–68    | 44 (11)<br>27–78      |
| Employed (%)                                               | 44%                 | 93%                   |
| Change in employment status (%)                            | 41%                 | 22%                   |
| Living with the GA patient (%)                             | 81%                 | 67%                   |
| Change in living situation (%)                             | 46%                 | 59%                   |
| Time since providing support (years)<br>Mean (SD)<br>Range | 3.3 (4.7)<br>0.1–30 | 4.1 (1.8)<br>1.5–10.3 |

GA=geographic atrophy; SD=standard deviation.

Figure S1. Distribution of ZBI total score in caregivers in the US and Canada



ZBI=Zarit Burden Interview.