

Additional information for: Treatment patterns and healthcare resource utilization in ruxolitinib-treated patients with myelofibrosis with and without anemia: a real-world analysis

Tom Liu,¹ Mirko Fillbrunn,² Jingyi Chen,² Gautam Sajeev,² Shiyuan Zhang,¹ James Signorovitch²

¹GSK plc, Philadelphia, PA, USA; ²Analysis Group, Boston, MA, USA

Corresponding author email address: tom.x.liu@gsk.com

Poster EE407

Presented at ISPOR 2024

May 5-8, 2024

Atlanta, GA

Methods

Table. ICD-9/10-CM Diagnostic Codes for MF-Related Comorbidities

Comorbidity	ICD-9-CM	ICD-10-CM
Anemia	238.72, 280, 281, 282.0-282.4, 282.6-282.9, 283.0, 283.1, 283.9, 284, 285	D46.0-D46.4, D50-D53, D55, D56, D57.0-D57.2, D57.4, D57.8, D58, D59.0-D59.4, D59.8, D59.9, D60-D64
Anxiety	293.84, 300.0	F40, F41, F06.4
Atrial fibrillation	427.31	I48.0, I48.1, I48.2, I48.91
Cardiovascular disease	393, 394, 395, 396, 397, 398, 401, 402, 403, 404, 405, 410, 411, 412, 413, 414, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429	I05, I06, I07, I08, I09, I10, I21, I22, I23, I24, I25, I30, I31, I32, I33, I34, I35, I36, I37, I38, I39, I40, I41, I42, I43, I44, I45, I46, I47, I48, I49, I50, I51, I52
Depression	296.21-26, 296.30-36, 298.0, 300.4, 301.12, 309.0, 311	F20.4, F31.3, F31.4, F31.5, F32, F33, F34.1, F41.2, F43.2
Hypertension	401, 402, 403, 404, 405	I10, I11, I12, I13, I15, I16
Osteoarthritis	715	M15, M16, M17, M18, M19
Osteoporosis	733.0	M80, M81
Splenomegaly	289.51, 289.53, 789.2	D73.2, D73.81, R16.1, R16.2
Thrombocytopenia	284.1, 287.30, 287.39, 287.49, 287.5, 289.84	D69.49, D69.59, D69.6, D75.82